

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO. FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. 09/848,465 05/03/2001 Igor Philip Passos Proglhof J&J-1735 6958 27777 7590 07/26/2004 **EXAMINER** PHILIP S. JOHNSON STEPHENS, JACQUELINE F JOHNSON & JOHNSON ART UNIT PAPER NUMBER ONE JOHNSON & JOHNSON PLAZA NEW BRUNSWICK, NJ 08933-7003 3761

DATE MAILED: 07/26/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

JW			
ET AL.			
ce address			
d timely. this communication. 3).			
o the merits is			
(a). 37 CFR 1.121(d). m PTO-152.			
onal Stage			

	Application No.	Applicant(s)
	09/848,465	PROGLHOF ET AL.
Office Action Summary	Examiner	Art Unit
	Jacqueline F Stephens	3761
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with	the correspondence address
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply y within the statutory minimum of thirty (3 will apply and will expire SIX (6) MONTH; a cause the application to become ABAN	y be timely filed 30) days will be considered timely. S from the mailing date of this communication. IDONED (35 U.S.C. § 133).
Status		
 1) Responsive to communication(s) filed on 14 July 2a) This action is FINAL. 2b) This 3) Since this application is in condition for allowed closed in accordance with the practice under Exercise. 	s action is non-final. nce except for formal matters	
Disposition of Claims		•
4) ☐ Claim(s) 1-14 is/are pending in the application 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-14 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	wn from consideration.	
Application Papers		
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 1.1) The oath or declaration is objected to by the Example 1.1.	epted or b) objected to by drawing(s) be held in abeyance tion is required if the drawing(s)	e. See 37 CFR 1.85(a). is objected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Burea * See the attached detailed Office action for a list	ts have been received. ts have been received in App rity documents have been re u (PCT Rule 17.2(a)).	olication No eceived in this National Stage
Attachment(s)		
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date		nmary (PTO-413) Mail Date ormal Patent Application (PTO-152)

Art Unit: 3761

DETAILED ACTION

Response to Arguments

1. Applicant's arguments filed 6/14/04 have been fully considered but they are not persuasive.

As to claims 1-3, 8, and 10-12, applicant argues Plischke does not teach an absorbent core formed from a wet laid paper. Applicant points to "column 26, lines 55 to 57", which the examiner purportedly cited in the Office Action mailed 2/21/04 as incorrectly interpreting the Plischke reference. Applicant's argument is unclear. The examiner has not reference the aforementioned section of Plischke in relation to a teaching of a wetlaid sheet. However, the examiner recognizes the deficiencies of Plischke with regard to a teaching of a wetlaid sheet and sought to correct that deficiency using Young who teaches the benefits of a wetlaid sheet.

2. Applicant further argues Young does not disclose a wetlaid sheet as forming a core. The examiner relied on Young for a teaching of the properties of a wetlaid sheet, properties that are desirable in an absorbent core structure. The test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art.

See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981).

As to claims 4, 5, 13, and 14, which stand rejected under 35 U.S.C. 103 (a) as being unpatentable over Plischke in view of Young and further in view of Hoey et al.

Art Unit: 3761

USPN 3403681 and Schrieber USPN 2418907, applicant's arguments are not persuasive for the reasons cited above.

As to claims 6, 7, and 9, which stand rejected under 35 U.S.C. 103 (a) as being unpatentable over Plischke in view of Young and further in view of Goldman et al. USPN 5669894, applicant's arguments are not persuasive for the reasons cited in paragraphs 1 and 2 above.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Art Unit: 3761

5. Claims 1-3, 8, and 10-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Plischke et al. USPN 5977014 in view of Young et al. USPN 5217445.

As to claim 1, Plischke discloses a sanitary absorbent article 40 comprising: an upper layer 50 pervious to liquid; a lower layer 51 impervious to liquid; a transfer layer 42 (col. 16, lines 38-44); and, an absorbing core having an upper part and a lower part, the core is formed from an absorption sheet 41,43 and a superabsorbent material 44 adhered to an inner surface of the sheet. Plischke discloses the sheet comprises two opposite longitudinal sides, each said longitudinal side been bent onto the inner surface (Figure 9). Plischke discloses the sheet serves as supporting means for the superabsorbent material, serves as a distributing means for improving the distribution of applied liquids to be absorbed into the composite structure, and has excellent wet strength (col. 16, lines 11-37). It is old and well known in the art that airlaid and wetlaid webs are used to contain superabsorbent particles in absorbent structures. However, Plischke does not specifically disclose the sheet consists essentially of a wetlaid paper. Young teaches wetlaid structures maintain their capillary channels and void spaces better, which allows them to wick body fluids well because they suffer less wet collapse than similar air-laid structures. Young additionally teaches wetlaid webs are significantly stronger than airlaid structures from the standpoint of tensile strength, which brings structural integrity to the web (Young col. 14, lines 2-12). It would have been obvious to one having ordinary skill in the art to modify the absorption sheet of Plischke with a wetlaid web for the benefits taught in Young.

Art Unit: 3761

As to claim 2, Plischke/Young discloses the absorbing core is embossed and perforated (Plischke Figures 15-18).

As to claim 3, see Plischke Figure 17. 3.

As to claim 8, Plischke/Young discloses the superabsorbent material has a Performance under Pressure capacity value of at least about 23 g/g under a confining pressure of 0.7 psi (Plischke col. 24, line 67 through col. 25, line 10).

As to claim 10, Plischke discloses an absorbent core for use in a sanitary absorbent article 40 the core having an upper part and a lower part, the core is formed from an absorption sheet 41,43 and a superabsorbent material 44 adhered to an inner surface of the sheet. The sheet 41,43 and superabsorbent material 44 primarily form the core (Figure 9). Plischke discloses the sheet comprises two opposite longitudinal sides, each said longitudinal side been bent onto the inner surface (Figure 9). Plischke discloses the sheet serves as supporting means for the superabsorbent material, serves as a distributing means for improving the distribution of applied liquids to be absorbed into the composite structure, and has excellent wet strength (col. 16, lines 11-37). It is old and well known in the art that airlaid and wetlaid webs are used to contain superabsorbent particles in absorbent structures. However, Plischke does not specifically disclose the sheet consists essentially of a wetlaid paper. Young teaches wetlaid structures maintain their capillary channels and void spaces better, which allows them to wick body fluids well because they suffer less wet collapse than similar air-laid

Art Unit: 3761

structures. Young additionally teaches wetlaid webs are significantly stronger than airlaid structures from the standpoint of tensile strength, which brings structural integrity to the web (Young col. 14, lines 2-12). It would have been obvious to one having ordinary skill in the art to modify the absorption sheet of Plischke with a wetlaid web for the benefits taught in Young.

As to claim 11, Plischke/Young discloses the absorbing core is embossed and perforated (Plischke Figures 15-18).

As to claim 12, see Plischke Figure 17. 3.

6. Claims 4, 5, 13, and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Plischke in view of Young as applied to claims 1 and 10 above and further in view of Hoey et al. USPN 3403681 and further in view of Schreiber USPN 2418907. Plischke/Young discloses the present invention substantially as claimed. However, Plischke/Young does not disclose the absorbent core comprises 2 to 15 elevations per cm² both in the upper part and in the lower part, 2 to 15 perforations per cm² both in the upper part and in the lower part. Hoey discloses an apertured absorbent core having apertures spaced at 10 per square inch. Hoey does not disclose the exact aperture range. However, Hoey recognizes the aperture range can be varied and this will affect the liquid distribution and comfort of the pad (Hoey col. 4, lines 14-29). Hoey, therefore recognizes the liquid distribution and comfort of the user is a result effective variable of aperture range. It would have been obvious to one of ordinary skill

Art Unit: 3761

in the art at the time the invention was made to provide the article of Plischke/Young with the claimed range of apertures, since discovering an optimum value of a result effective variable involves only routine skill in the art.

Plischke/Young/Hoey do not disclose the apertures being present on the upper and lower part of the core. Schreiber discloses an absorbent system with embossed surfaces on upper and lower parts of the core (Figure 3) for the benefit of providing pockets to retain materials in the core (Schreiber col. 4, lines 18-27). It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the invention of Plischke/Young/Hoey with an embossed surface on the upper and lower parts of the core for the benefits disclosed in Schreiber.

7. Claims 6, 7, and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Plischke in view of Young as applied to claim 1 above and further in view of Goldman et al. USPN 5669894.

As to claims 6 and 9, Plischke/Young does not disclose the superabsorbent material has an absorbency under load value of at least about 24 ml saline per gram of superabsorbent material and a Saline Flow Conductivity value of at least about 30 x 10⁻⁷ cm³ sec/g. Goldman discloses an absorbent article having superabsorbent materials having an absorbency under load value of at least about 24 ml saline per gram of superabsorbent material (col. 4, lines 24-34) and a Saline Flow Conductivity value of at least about 30 x 10⁻⁷ cm³ sec/g (Goldman Abstract) for the purpose of minimizing gel blocking. It would have been obvious to one having ordinary skill in the

Art Unit: 3761

art at the time the invention was made to incorporate the superabsorbent of Goldman in the invention of Plischke/Young for the benefits disclosed in Goldman.

As to claim 7, Plischke/Young/Goldman do not disclose the superabsorbent material has a porosity of at least about 0.15. the claimed porosity. However, Plischke/Young/Goldman teaches porosity is an important measurement of the effectiveness of the superabsorbent (Goldman col. 13, line 35-63). It is evident that Plischke/Young/Goldman has a value for the porosity. Plischke/Young/Goldman recognizes the porosity can be varied and this will affect the permeability of the article. Plischke/Young/Goldman, therefore recognizes the permeability (SFC) of the superabsorbent layer is a result effective variable of porosity of the superabsorbent. It would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the article of Plischke/Young/Goldman with the claimed porosity, since discovering an optimum value of a result effective variable involves only routine skill in the art.

Conclusion

8. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any

Application/Control Number: 09/848,465 Page 9

Art Unit: 3761

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jacqueline F Stephens whose telephone number is (703) 308-8320. The examiner can normally be reached on Monday-Friday 9:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Calvert can be reached on (703)305-1025. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jacqueline F Stephens

Examiner
Art Unit 3761

July 21, 2004

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700